UNCONTROLLED DOCUMENT

PAINT NUMBER	IV⊏ V.
IFL-LX168	
REV F.C.N. NUMBER AND REVISION COMMENTS	DATE

DART NUMBER

	10.30 [0.406] MAX.
14.20 [0.559] MAX.	20.70 [0.815] MAX.
4.60 [0.181] MAX.	7.00 [0.276] MAX.
	9.50 [0.374]

ELECTRO-OPTICAL SPECIFICATIONS

E.C.N. #11148.

OPERATING VOLTAGE VAC OR VDC	12-16	
DESIGN VOLTAGE VDC OR VAC:	14	
CURRENT DRAW @ DESIGN VOLTS:	350 mA	
M.S.C.P. @ DESIGN VOLTS:	3.D M.S.C.P.	
AVERAGE LIFE Ø DESIGN VOLTS:	1500 HRS	

MECHANICAL SPECIFICATIONS

BULB SIZE AND SHAPE:	T-10 TUBULAR
BASE OR LEAD FINISH:	WEDGE
FILAMENT SHAPE:	C-2F



12.28,06

UNCONTROLLED DOCUMENT

*UNLESS OTHERWISE SPECFED TOLERANCES PER DECIMAL PRECISION ARE: X=±1 (±0.038), XX=±0.5 (±0.010), XXX=±0.25 (±0.010), XXXX=±0.127 (±0.005). LEAD SIZE=±0.05 (0.0102), LEAD LENGTH=±0.75 (±0.030). NN= ±0.000 (±0.0102), LEAD LENGTH=±0.75 (±0.030), NN= ±0.000 (±0.0102), LEAD LENGTH=±0.75 (±0.0102), LEAD LENGTH=±0.0102, LENGTH=±0.0102, LENGTH=±0.0102, LENGTH=±0.0102, LENGTH=±0.010

PART NUMBER REV. IFL-LX168

T-3 1/4 (T10 x 27mm) ALL GLASS WEDGE BASE LAMP.

CONFIDENTIAL INFORMATION
THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF LUMEX INC. EXCEPT AS SPECIFICALLY AUTHORIZED IN WRITING BY LUMEX INC., THE HOLDER OF THIS DOCUMENT SHALL KEEP ALL INFORMATION CONTAINED HEREIN CONFIDENTIAL AND SHALL PROTECT SAME IN WHOLE OR IN PART FROM DISCLOSURE AND DISSEMINATION TO ALL THIRD PARTIES.

RELIABILITY NOTE OUR MANY YEARS OF EXPERIENCE DATA ACCUMULATION INDICATE THAT SOLDER HEAT IS A MAJOR CAUSE OF EARLY AND FUTURE FAILURE. PLEASE PAY ATTENTION TO YOUR SCILDERING PROCESS.



JC

290 E. HELEN ROAD PALATINE, IL 60067-6976 PHONE: +1.847.359.2790 US WEB: www.lumex.com TW WEB: www.lumex.com.tw

DRAWN BY:

CHECKED BY: APPROVED BY: DATE: 12.28.06 PAGE: 1 OF 1

SCALE: N/A