



UNCONTROLLED DOCUMENT

PART NUMBER
LCD-S401M42TF-1REV.
AREV. E.C.N. NUMBER AND REVISION COMMENTS
A E.C.N. #11148.DATE
02.08.07

CHARACTERISTICS	
FLUID TYPE	TN
BACKGROUND COLOR	GRAY
VIEWING DIRECTION	12:00
DISPLAY MODE	TRANSFLECTIVE
OPERATING VOLTAGE	3.3V A.C.
OPERATING TEMP.	0°C TO 50°C
STORAGE TEMP.	-20°C TO 70°C
DRIVING METHOD	1/4 DUTY, 1/3 BIAS
CONNECTION TYPE	36 PINS

*UNLESS OTHERWISE SPECIFIED TOLERANCES PER DECIMAL PRECISION ARE: X=±1 (±0.039), X.X=±0.5 (±0.020), X.XX=±0.25 (±0.010), X.XXX=±0.127 (±0.005). LEAD SIZE=±0.05 (±0.002), LEAD LENGTH=±0.75 (±0.030), MIN.=+0.00 DECIMAL PRECISION MAX.=+0.00 DECIMAL PRECISION

REV.
APART NUMBER
LCD-S401M42TF-1CUSTOM LCD PANEL, TN, TRANSFLECTIVE, TOP VIEW,
1/4 DUTY, 1/3 BIAS.

CONFIDENTIAL INFORMATION
THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF LUMEX INC. EXCEPT AS SPECIFICALLY AUTHORIZED IN WRITING BY LUMEX INC., THE HOLDER OF THIS DOCUMENT SHALL KEEP ALL INFORMATION CONTAINED HEREIN CONFIDENTIAL AND SHALL PROTECT SAME IN WHOLE OR IN PART FROM DISCLOSURE AND DISSEMINATION TO ALL THIRD PARTIES.

RELIABILITY NOTE
OUR MANY YEARS OF EXPERIENCE DATA ACCUMULATION INDICATE THAT SOLDER HEAT IS A MAJOR CAUSE OF EARLY AND FUTURE FAILURE. PLEASE PAY ATTENTION TO YOUR SOLDERING PROCESS.



290 E. HELEN ROAD
PALATINE, IL 60067-6976
PHONE: +1.847.359.2790
US WEB: www.lumex.com
TW WEB: www.lumex.com.tw

DRAWN BY:
JC

CHECKED BY:

APPROVED BY:





DATE: 5.13.02
PAGE: 1 OF 3
SCALE: N/A

UNCONTROLLED DOCUMENT

UNCONTROLLED DOCUMENT

PIN TABLE

	COM0	COM1	COM2	COM3
1	COM0	-	-	-
2	-	COM1	-	-
3	-	-	COM2	-
4	-	-	-	COM3
5	1N	1E	1G	1F
6	1D	1M	1J	1I
7	1L	1H	1K	-
8	DP1	1C	1B	1A
9	2N	2E	2G	2F
10	2D	2M	2J	2I
11	2L	2H	2K	-
12	DP2	2C	2B	2A
13	3C	3E	3F	3A
14	3D	3G	3G	3B
15	DP3	4E	4F	4A
16	4D	4G	4G	4B
17	\$Total	\$/kWh	kWh	-
18	Watts	Volts	Amps	-
19	POWER	TIMER	MOTION	LIGHT
20	↓	↓	CLOCK	TEMP
21	Su	F	C	C2
22	Sa	5B	5G	5C
23	5A	5F	5E	5D
24	Fr	6B	6G	6C
25	6A	6F	6E	6D
26	Th	7B	7G	7C
27	7A	7F	7E	7D
28	We	8B	8G	8C
29	8A	8F	8E	8D
30	Tu	9B	9G	9C
31	9A	9F	9E	9D
32	Mo	10B	10G	10C
33	10A	10F	10E	10D
34	-	AM	PM	C1
35	PROGRAM	PEAK	ARMED	-
36	OFF	ON	REMOTE	-



*UNLESS OTHERWISE SPECIFIED TOLERANCES PER DECIMAL PRECISION ARE: X=±1 (±0.039), XX=±0.5 (±0.020), XXX=±0.25 (±0.010), XXXX=±0.127 (±0.005), LEAD SIZE=±0.05 (±0.002), LEAD LENGTH=±0.75 (±0.030), MIN.=+DECIMAL PRECISION -0.00, MAX.=+0.00 -DECIMAL PRECISION

REV.

A

PART NUMBER

LCD-S401M42TF-1

CUSTOM LCD PANEL, TN, TRANSFLECTIVE, TOP VIEW,
1/4 DUTY, 1/3 BIAS.

CONFIDENTIAL INFORMATION

THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF LUMEX INC. EXCEPT AS SPECIFICALLY AUTHORIZED IN WRITING BY LUMEX INC., THE HOLDER OF THIS DOCUMENT SHALL KEEP ALL INFORMATION CONTAINED HEREIN CONFIDENTIAL AND SHALL PROTECT SAME IN WHOLE OR IN PART FROM DISCLOSURE AND DISSEMINATION TO ALL THIRD PARTIES.

RELIABILITY NOTE

OUR MANY YEARS OF EXPERIENCE DATA ACCUMULATION INDICATE THAT SOLDER HEAT IS A MAJOR CAUSE OF EARLY AND FUTURE FAILURE. PLEASE PAY ATTENTION TO YOUR SOLDERING PROCESS.



290 E. HELEN ROAD
PALATINE, IL 60067-6976
PHONE: +1.847.359.2790
US WEB: www.lumex.com
TW WEB: www.lumex.com.tw

DRAWN BY:

JC

CHECKED BY:

APPROVED BY:

DATE: 5.13.02

PAGE: 2 OF 3

SCALE: N/A

PART NUMBER

LCD-S401M42TF-1

REV.

A

REV. E.C.N. NUMBER AND REVISION COMMENTS

DATE

SEE PAGE #1

UNCONTROLLED DOCUMENT

UNCONTROLLED DOCUMENT

PART NUMBER

LCD-S401M42TF-1


REV.

A


REV. E.C.N. NUMBER AND REVISION COMMENTS

DATE

SEE PAGE #1



SCALE: 1:1



*UNLESS OTHERWISE SPECIFIED TOLERANCES PER DECIMAL PRECISION ARE: X=±1 (±0.039), XX=±0.5 (±0.020), XXX=±0.25 (±0.010), XXXX=±0.127 (±0.005), LEAD SIZE=±0.05 (±0.002), LEAD LENGTH=±0.75 (±0.030), MIN= +DECIMAL PRECISION MAX= +0.00 -DECIMAL PRECISION

REV.

A

PART NUMBER

LCD-S401M42TF-1

CUSTOM LCD PANEL, TN, TRANSFLECTIVE, TOP VIEW,
1/4 DUTY, 1/3 BIAS.

CONFIDENTIAL INFORMATION

THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF LUMEX INC. EXCEPT AS SPECIFICALLY AUTHORIZED IN WRITING BY LUMEX INC., THE HOLDER OF THIS DOCUMENT SHALL KEEP ALL INFORMATION CONTAINED HEREIN CONFIDENTIAL AND SHALL PROTECT SAME IN WHOLE OR IN PART FROM DISCLOSURE AND DISSEMINATION TO ALL THIRD PARTIES.

RELIABILITY NOTE

OUR MANY YEARS OF EXPERIENCE DATA ACCUMULATION INDICATE THAT SOLDER HEAT IS A MAJOR CAUSE OF EARLY AND FUTURE FAILURE. PLEASE PAY ATTENTION TO YOUR SOLDERING PROCESS.



290 E. HELEN ROAD
PALATINE, IL 60067-6976
PHONE: +1.847.359.2790
US WEB: www.lumex.com
TW WEB: www.lumex.com.tw

DRAWN BY:

JC

CHECKED BY:

APPROVED BY:

DATE: 5.13.02

PAGE: 3 OF 3

SCALE: N/A