UNCONTROLLED DOCUMENT

SC:0.50


PART NUMBER

LPA-C2301

REV.

PRELIMINARY IN P/N DIR





NOTES:

1.

UNCONTROLLED DOCUMENT

\*UNLESS OTHERWISE SPECIFIED TOLERANCES PER DECINAL PRECISION ARE: X=±1 (±0.039), XX=±0.5 (±0.020), XXX=±0.25 (±0.010), XXXX=±0.127 (±0.005). LEAD SIZE=±0.05 (±0.002), LEAD LENGTH=±0.75 (±0.003). MIN= +0.000 PRECISION MAX.= +0.000 PRECISION PRECISION MAX.= +0.000 PRECISION PRECISION

PART NUMBER
P1 LPA—C2301

DUAL LIGHTPIPE.

Confidential information

The information contained in this document is the property of Lumex No. Except as specifically authorized in Writing by Lumex Inc., the holder of this document shall keep all information contained herein confidential and shall protect same in whole or in part from disclassine and dissemination to all third parties.

RELIABILITY NOTE

OUR MANY YEARS OF EXPERIENCE DATA ACCUMULATION INDICATE THAT

SOLDER HEAT IS A MAJOR CAUSE OF EARLY AND FUTURE FAILURE.

PLEASE PAY ATTENTION TO YOUR SOLDERING PROCESS.



290 E. HELEN ROAD PALATINE, IL 60067-6976 PHONE: +1.847.359.2790 US WEB: www.lumex.com

DRAWN BY: CHECKED BY: APPROVED BY: DATE:

PAGE: 1 OF 1 SCALE: N/A

8.8.06