

UNCONTROLLED DOCUMENT

PART NUMBER

REV.

LXP-BBL-101-G-F





*UNCONTROLLED DOCUMENT

*UNILESS OTHERWISE SPECFED TOLERANCES PER DECIMAL PRECISION ARE: X=±1 (±0.038), XX=±0.5 (±0.020), XXX=±0.25 (±0.010), XXXX=±0.127 (±0.005). LEAD SIZE=±0.05 (0.0102), LEAD LENGTH=±0.75 (±0.030). NIN= +0.000 (0.0102)

*UNCONTROLLED DOCUMENT

*UNILESS OTHERWISE SPECFED TOLERANCES PER DECIMAL PRECISION ARE: X=±1 (±0.038), XX=±0.5 (±0.010), XXXX=±0.127 (±0.005). LEAD SIZE=±0.05 (0.0102), LEAD LENGTH=±0.75 (±0.030). NIN= +0.000 (0.0102)

*UNCONTROLLED DOCUMENT

*UNILESS OTHERWISE SPECFED TOLERANCES PER DECIMAL PRECISION ARE: X=±1 (±0.038), XX=±0.5 (±0.010), XXXX=±0.127 (±0.005). LEAD SIZE=±0.05 (0.0102), LEAD LENGTH=±0.75 (±0.030). NIN= +0.000 (0.0102)

*UNCONTROLLED DOCUMENT

**UNILESS OTHERWISE SPECFED TOLERANCES PER DECIMAL PRECISION ARE: X=±1 (±0.038), XX=±0.5 (±0.010), XXXX=±0.127 (±0.005). LEAD SIZE=±0.05 (0.0102), LEAD LENGTH=±0.75 (±0.005). NIN= +0.000 (0.0102)

**UNILESS OTHERWISE SPECFED TOLERANCES PER DECIMAL PRECISION ARE: X=±1 (±0.0058), XXX=±0.5 (±0.0101), XXXX=±0.127 (±0.005). LEAD SIZE=±0.05 (0.0102), LEAD SI

PART NUMBER REV. LXP-BBL-101-G-F

SINGLE BOARD TO BOARD SPACING HEADER.

CONFIDENTIAL INFORMATION
THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF LUMEX INC. EXCEPT AS SPECIFICALLY AUTHORIZED IN WRITING BY LUMEX INC., THE HOLDER OF THIS DOCUMENT SHALL KEEP ALL INFORMATION CONTAINED HEREIN CONFIDENTIAL AND SHALL PROTECT SAME IN WHOLE OR IN PART FROM DISCLOSURE AND DISSEMINATION TO ALL THIRD PARTIES.

RELIABILITY NOTE OUR MANY YEARS OF EXPERIENCE DATA ACCUMULATION INDICATE THAT SOLDER HEAT IS A MAJOR CAUSE OF EARLY AND FUTURE FAILURE. PLEASE PAY ATTENTION TO YOUR SCILDERING PROCESS.



JD

290 E. HELEN ROAD PALATINE, IL 60067-6976 PHONE: +1.847.359.2790 US WEB: www.lumex.com MolTW WEB: www.lumex.com.tw

DRAWN BY:

CHECKED BY: APPROVED BY: DATE: 3.28.05 PAGE: 1 OF 1 SCALE: N/A