## UNCONTROLLED DOCUMENT — 15.70 [0.618] SQR. — - 14.57 [0.574] SQR. -Ø5.50 [Ø0.217] — — EMISSION AREA

⊢ N (CATH□DE) SIDE

P (ANDDE) SIDE

PART NUMBER

SSD-LX016E890SGNV

## ELECTRO-OPTICAL CHARACTERISTICS:

PARAMETER	SYMBOL	TEST COND	MIN	TYP	MAX	UNITS
FORWARD VOLTAGE	V f	I <sub>f</sub> =20mA		1.33	1.45	٧
REVERSE CURRENT	lr	V <sub>r</sub> =5V			10	μA
PEAK WAVELENGTH	<b>λ</b> p	I <sub>f</sub> =20mA		890		nm
SPECTRA HALF-WIDTH	Δλ	I <sub>f</sub> =20mA		80		um
RADIANT POWER	Po	I <sub>f</sub> =20mA		3.5		mW
OPTICAL RISE TIME	Tr	I <sub>f</sub> =20mA		500		ns
OPTICAL FALL TIME	Tf	I <sub>f</sub> =20mA		1000		ns

CAUTION: STATIC SENSITIVE DEVICE FOLLOW PROPER E.S.D. HANDLING PROCEDURES WHEN WORKING WITH THIS PART.

## NOTEs:

- 1. UNITS: mil
- 2. WIRE BOND METALLIZATION: GOLD.
- 3. P SIDE UP ON WAFER.

## UNCONTROLLED DOCUMENT

REV. PART NUMBER SSD-LX016E890SGNV 890nm IR CHIP.

7.87 [0.310]

CONFIDENTIAL INFORMATION
THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF LUMEX INC. EXCEPT AS SPECIFICALLY AUTHORIZED IN WRITING BY LUMEX INC., THE HOLDER OF THIS DOCUMENT SHALL KEEP ALL INFORMATION CONTAINED HEREIN CONFIDENTIAL AND SHALL PROTECT SAME IN WHOLE OR IN PART FROM DISCLOSURE AND DISSEMINATION TO ALL THIRD PARTIES.

RELIABILITY NOTE OUR MANY YEARS OF EXPERIENCE DATA ACCUMULATION INDICATE THAT SOLDER HEAT IS A MAJOR CAUSE OF EARLY AND FUTURE FAILURE. PLEASE PAY ATTENTION TO YOUR SOLDERING PROCESS.

290 E. HELEN ROAD PALATINE, IL 60067-6976 PHONE: +1.847.359.2790 US WEB: www.lumex.com TW WEB: www.lumex.com.tw

DRAWN BY:

CHECKED BY: APPROVED BY: DATE: 5.21.04 PAGE: 1 OF 1

SCALE: N/A

CT